










Note: The illustration shows the maximum possible equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Fuel tank content gasoline
	Gas strut / Preloaded spring		High strength zone		Battery low voltage		Zone requiring special attention		

1. Identification / recognition

Front logo



Rear logo



Logo




The logo may not be present


2. Immobilisation / stabilisation / lifting


Immobilize the vehicle

1. Press the "P" parking lock button
2. Engage the electronic parking brake.
3. Switch off the ignition (see chapter 3).
4. Secure the vehicle to prevent it from moving.




Suitable lifting points




 Suitable lifting points

3. Disable direct hazards / safety regulations

Switch off ignition



Press the START - ENGINE - STOP button, located on the multifunction steering wheel, without pressing the brake pedal.




Keep the vehicle key and/or smartphone app further than 5 m away from the vehicle.

Disconnecting the 12-volt battery




1. Locate the 12 V battery located on the left side of the engine compartment.
2. Disconnect the negative terminal of the battery from the onboard network.

Disconnecting the 48-volt battery



LI-ION


1. Move the passenger seat backward
2. Remove the protective cover of the 48V battery
3. Disconnect all connectors



In the event of an accident in which the airbag is deployed, the 48-volt vehicle electrical system is automatically deactivated immediately after airbag deployment is detected. The 48 volt battery is also deactivated if you switch off the ignition.

Brand	Model	Year of launch	Internal reference	Creation date	Update date	Version	Page
CUPRA	TERRAMAR	2024	VSS-KP10C50	16/09/2024	16/09/2024	1	2 / 3













4. Access to the occupants



Glass types:

- ① Laminated safety glass
- ② Tempered glass
- ③ Optional laminated safety glass


5. Stored energy / liquids / gases / solids

				Max.60 L
				12 V
 LI-ION				48 V Lithium-Ion Optional

6. In case of fire




Lithium-ion batteries can self-ignite or reignite after extinguishing the fire!
Wear appropriate protective equipment!



7. In case of submersion

After rescuing the vehicle from the water, drain the water and disconnect the battery or batteries from the vehicle (see Chapter 3). Wear appropriate protective equipment!

8. Towing / transportation / storage













Do not tow a vehicle that has been involved in an accident on its drive axles.

9. Important additional information

Rescue manual for CUPRA: <https://www.cupraofficial.com>

10. Explanation of pictograms used

							
Flammable	Corrosives	Hazardous to the human health	Environmental hazard	General warning sign	Use water to extinguish the fire	Remove smart key	Use thermal infrared camera
							
Bonnet	Vehicle on fuel of liquid group 2						

Brand	Model	Year of launch	Internal reference	Creation date	Update date	Version	Page
CUPRA	TERRAMAR	2024	VSS-KP10C50	16/09/2024	16/09/2024	1	3 / 3